



LIQUI-SOL™

Are You Being Forced to Kick the Can?

Liqui-Sol™, Your Option for Safety, Storage & Disposal!



Sprayon® Liqui-Sol™ is your option for safety, storage and disposal. **Preserve, Prevent and Protect** your equipment safely with Sprayon's new and improved Liqui-Sol MRO chemical program. Liqui-Sol eliminates expensive disposal costs, is 100% recyclable and is safe for work and plant environments.



SAFETY FIRST, PERFORMANCE FOLLOWS!

FEATURES

Green House Gas Free



Available in 18 proven MRO formulas

100% Disposable

Durable Aluminum Spill Proof Package

Safe for Workers & Plant Environments

NSF Certified

BENEFITS

Partner with Sprayon in the removal of Green House gases from your facilities

Covers most MRO maintenance needs

Eliminates expensive disposal costs

Reuse or Recycle

Free your-self of safety concerns regarding storage, application, and disposal

Acceptable for use in food processing facilities



INDUSTRIAL LUBRICANTS

SILICONE LUBES

A000206LQ All-Purpose Silicone Lube is a silicone formula protects against air and moisture to retard oxidation and corrosion. It virtually eliminates friction and sticking to improve high-speed production. Leaves a long lasting film that is compatible with most surfaces.

- Compatible with most surfaces; will not attack most plastics
- Will not interfere with painting or decorating
- Effective from -50°F to +375°F

A000210LQ Food Grade Silicone Lube is a colorless, odorless, low-viscosity silicone lubricant that is compatible with most surfaces. Ideal for use in close proximity to foods where petroleum products and other organics would contaminate.

- Meets FDA regulations when no more than 1 ppm is applied
- Will not attack delicate surfaces such as styrene or urethane
- Effective from -58°F to 450°F



EXTREME PRESSURE LUBES

A000201LQ Heavy Duty Open Gear & Wire Rope Lube is a extreme pressure performance lube that penetrates the pores of metal surfaces to reach the core of wire rope. This heavy duty lubricant provides a wide range of lubrication at high temperatures while adhering extremely well to surfaces.

- Withstands extreme pressure with maximum adhesion
- Works from 0°F to 450°F
- Won't wash, weather away or rub off

A000202LQ Moly Chain & Pin Bushing Lube is a high viscosity oil that clings to moving parts. Foaming action penetrates close tolerances of chain drive bushings and pins to provide long-lasting lubrication. Reduces friction wear on moving parts and in metal-to-metal applications.

- Reduces wear, increases chain life
- Moly additive assures lubrication under extreme pressure
- Effective from -20°F to +300°F

GENERAL PURPOSE, PENETRANTS AND SPECIALTY APPLICATION LUBES



A000100LQ White Lithium Lube is a high solids white grease that provides excellent lubrication for metal-to-metal applications. It is ideal for use on chains, gears, drives, and hinges.

- High-solids, non-staining white grease
- Will not drip or run on vertical surfaces
- Effective from -20°F to +275°F

A000103LQ Rust Breaker™ is a fast-acting product that quickly loosens rust while penetrating grease and dirt. A transparent, non-staining oil, its light film displaces moisture and acts as a corrosion preventative.

- Loosens and frees seized fasteners
- Quickly loosens rust while penetrating grease and dirt
- Superior water displacing, creep, and penetrating properties

A000208LQ Cutting Oil is an excellent lubricant specifically formulated for all ferrous and non-ferrous machining operations. Extends tool life, reducing tool sharpening and downtime.

- Extends tool life
- Recommended for all metals
- Clings to surface

A000700LQ Food Grade Machinery Oil

penetrates and loosens dirt, scale, and corrosion. Provides effective lubrication to free up rusted or corroded parts.

- Non-silicone formula
- Virtually odorless, tasteless and colorless
- Meets FDA regulation 12.878, 178.3620, and 573.680

A000711LQ #711® The Protector Lubricant

Sprayon® #711® is a general maintenance penetrant unmatched in its versatility and quality. Known as The Protector™, it's the clear-cut choice of industry to penetrate, lubricate, demoisturize and inhibit corrosion.

- Protects metal surfaces from corrosive elements
- Eliminates short circuits in electrical applications
- Formulated to ensure maximum moisture displacement

A000777LQ Food Grade Machinery Oil

is a waxy corrosion preventative that offers excellent lubrication and long-term

outdoor protection. Its tacky film provides and excellent barrier to salt spray and high humidity.

- A waxy, heavy-duty, rust inhibitor
- Offers 24-month durability to stand up to the most severe weather conditions
- MIL-C-16173D Grade 2, MIL-C-23411A





ELECTRICAL PRECISION CLEANERS

A002302LQ Environmental Contact Cleaner

is a non-ozone depleting cleaner that removes oil, grease and dirt from sensitive equipment and precision instruments leaving no residue. It is non-conductive and safe on most plastics.

- No CFCs or HCFCs
- Leaves no residue
- Meets California's Consumer Regulation (CONS-1) for Electrical Cleaner



ELECTRONIC CLEANERS & DEGREASERS

A020749LQ Environmental Cleaner & Degreaser is a

heavy-duty cleaner that penetrates fast to remove dirt, oil, grease, wax and tar. Leaves no residue. Contains no Class I or Class II compounds.

- For use on Non-Energized equipment
- Leaves no residue
- Fast-evaporating
- Meets California's Consumer Regulation (CONS-1) for Electrical Cleaner

A020847LQ Ultra-Force™ Safety Solvent & Degreaser

is a non-flammable, fast-evaporating cleaner/degreaser that penetrates instantly to remove dirt, oil, grease and wax. Increases the life of electrical components by removing foreign materials that can cause costly downtime.

- No Hazardous Air Pollutants
- Safe on all ferrous and non-ferrous metals; most plastics
- Non-chlorinated, Non-flammable, Non-ozone-depleting

A020848LQ Flash Free® Safety Solvent & Degreaser

is a non-flammable, fast-evaporating cleaner that penetrates instantly to remove dirt, oil, grease and wax. It's versatility allows for many MRO Cleaning operations found in industrial plants.

- Penetrates easily, evaporates quickly, leaves no residue
- Chlorinated, Non-flammable, non-ozone-depleting
- Meets California's Consumer Regulation (CONS-1) for Energized Electrical Cleaner



SPECIALTY MAINTENANCE CLEANERS



A020757LQ Citrus Cleaner

Degreaser is a heavy duty, multi-purpose degreaser and graffiti remover. This non-chlorinated formula has the cleaning power of solvents to remove grime, dirt, grease, and oil.

- Biodegradable, heavy-duty, multi-purpose cleaner and graffiti remover
- Pleasant citrus scent
- No chlorinated solvents



A020880LQ General Purpose

Cleaner is an excellent cleaner for hard surfaces that are not ordinarily damaged by water. This streak proof formula cuts through dirt, grease, soil surface smears and finger marks.

- All-purpose formula that cuts through dirt with ease
- Safe to use on metal, finished wood, porcelain, vinyl, leather, laminated surfaces and glass
- Cleans spots on synthetic carpets



A020885LQ Stainless Steel Cleaner

Stainless Steel Cleaner polishes, brightens, cleans and protects stainless steel and other metal surfaces, such as chrome and aluminum. Polishes to a non-greasy film. Invisible coating resists further soiling, fingerprints, water marks and rusting.

- Water-based emulsion formula
- Resists corrosion
- Cleans and shines



A000607LQ Belt Dressing

conditions belts while increasing pulling power up to 50% even when subjected to wet or out-door conditions. Will not glaze, collect dirt or dust. Reduces squeaky noise caused by old "V" belts.

- Can be applied directly to belts while running
- Contains no asphalt or rosin
- Will not glaze or collect dirt or dust



INDUSTRIAL LUBRICANTS – PRODUCT CHARACTERISTICS

SKU	Description	Flash Point (°F)	Dielectric Strength (Volts)	Ozone Depletion Potential (ODP)	Chlorinated Solvents	Fill Level	NSF Rating	NSF Registration	Plastics Safe	Low Temp	High Range	Load Capacity ¹	Penetrant	Water Displacer	Rust Inhibitor	Paintable	% Actives	Viscosity ²
100LQ	White Lithium Lube	75°F	n/a	No	No	14 fl oz	H2	127752	Yes	(-20°F)	275°F	M	Yes	Yes	Yes	n/a	n/a	n/a
103LQ	Rust Breaker Penetrant	>200°F	47,400	No	No	14 fl oz	H2	127753	Yes	20°F	450°F	L	Yes	Yes	Yes	n/a	n/a	n/a
201LQ	Heavy Duty Open Gear & Wire Rope Lube	50°F	n/a	No	No	14 fl oz	n/a	n/a	n/a	0°F	450°F	EP	Yes	Yes	Yes	n/a	n/a	n/a
202LQ	Moly Chain & Pin Bushing Lube	50°F	n/a	No	No	14 fl oz	H2	127755	Yes	(-20°F)	300°F	EP	Yes	Yes	Yes	n/a	n/a	n/a
206LQ	All Purpose Silicone Lube	85°F	n/a	No	No	14 fl oz	n/a	n/a	Yes	(-50°F)	375°F	L	Yes	Yes	Yes	Yes	5	M
208LQ	Cutting Oil	n/a	10,000	No	No	14 fl oz	H2	127756	Yes	20°F	500°F	L	Yes	Yes	Yes	n/a	n/a	n/a
210LQ	Food Grade Silicone Lube	75°F	n/a	No	No	14 fl oz	H1	127743	Yes	(-58°F)	450°F	L	Yes	n/a	Yes	No	5	L
700LQ	Food Grade Machinery Oil	>200°F	n/a	No	No	14 fl oz	H1	127744	Yes	20°F	355°F	L	Yes	No	Yes	No	n/a	n/a
711LQ	General Maintenance Protectant	140°F	47,000	No	No	14 fl oz	H2	115051	Yes	20°F	500°F	L	Yes	Yes	Yes	n/a	n/a	n/a
777LQ	Long-Term Outdoor Protectant & Lube	121°F	30,000	No	No	14 fl oz	H2	127748	Yes	20°F	300°F	M	Yes	Yes	Yes	n/a	n/a	n/a

* Test on non-essential piece before using 1. Load Capacity: L=Low M=Medium EP=Extreme Pressure 2. Viscosity Range: L=Low M=Medium H=High

ELECTRICAL PRECISION CLEANERS – PRODUCT CHARACTERISTICS

SKU	Description	Flash Point (°F)	Dielectric Strength (Volts)	Ozone Depletion Potential (ODP)	Chlorinated Solvents	Fill Level	NSF Rating	NSF Registration	Plastics Safe	KB Solvency ¹	Residue	Evaporation Rate
2302LQ	Environmental Contact Cleaner	40°F	n/a	No	No	14 fl oz	K2	127547	Yes*	342	No	Fast

* Test on non-essential piece before using 1. The higher the number, the stronger the cleaner

ELECTRONIC CLEANERS & DEGREASERS – PRODUCT CHARACTERISTICS

SKU	Description	Flash Point (°F)	Dielectric Strength (Volts)	Ozone Depletion Potential (ODP)	Chlorinated Solvents	Fill Level	NSF Rating	NSF Registration	Plastics Safe	KB Solvency ¹	Residue	Evaporation Rate
20749LQ	Environmental Cleaner & Degreaser	85°F	n/a	No	No	14 fl oz	K2	127514	No	85	No	Very Fast
20847LQ	ULTRA-FORCE™ Safety Solvent & Degreaser	None	15,000	No	No	14 fl oz	K2	127546	Yes*	129	No	Very Fast
20848LQ	Flash Free Safety Solvent & Degreaser	None	37,000	No	Yes	14 fl oz	K2	127741	Yes	129	No	Fast

* Test on non-essential piece before using 1. The higher the number, the stronger the cleaner

SPECIALTY MAINTENANCE CLEANERS - PRODUCT CHARACTERISTICS

SKU	Description	Flash Point (°F)	Dielectric Strength (Volts)	Ozone Depletion Potential (ODP)	Chlorinated Solvents	Fill Level	NSF Rating	NSF Registration	Plastics Safe	KB Solvency ¹	Residue	Evaporation Rate
607LQ	Belt Dressing	53°F	n/a	No	No	14 fl oz	P1	127750	Yes	n/a	n/a	n/a
20757LQ	Citrus Cleaner & Degreaser	100°F	40,400	No	No	14 fl oz	C1	127513	No	56	n/a	n/a
20880LQ	General Purpose Cleaner	<215°F	n/a	No	No	14 fl oz	C1	127751	Yes*	n/a	n/a	n/a
20885LQ	Stainless Steel Cleaner	None	n/a	No	No	14 fl oz	C1	127742	Yes*	n/a	n/a	n/a

* Test on non-essential piece before using 1. The higher the number, the stronger the cleaner



Krylon Products Group
Cleveland, OH 44115
Tel: 800-777-2966
Fax: 800-243-3075
www.KPG-Industrial.com

©2009 Krylon Products Group Made in the USA 310-S007-000

Distributed By: