



# Neutra Force<sup>®</sup>

NEUTRAL pH DEGREASER



**No Matter What Type of Soil  
or Substrate,  
We Have the Solution.**

- **Environmentally Friendly - Non-Toxic**
- **Neutral pH - Friendly on all surfaces, friendly to the user**
- **Contains no caustics, acids, butyls, phosphates, or other harsh chemicals**
- **Super concentrated**
- **Contains odor counteractants**
- **Meets Boeing Specification, BAC 5763, Type 1**



**Sprayon<sup>®</sup> Neutra Force<sup>®</sup>** is an outstanding neutral pH cleaner/degreaser capable of removing soil, grime, wax, light carbons, and heavy grease deposits from a multitude of hard surfaces. It has no chemical charge and contains no caustics, alkali, phosphates, silicates, petroleum solvents, or butyl ethers. Neutra Force is an environmentally responsible product. It has been tested to be non-toxic to skin, oral, and human inhalations. Because Neutra Force contains true malodor counteractants, it deodorizes as it cleans.

**USES:** Floors, Equipment, Machinery, Part Washing Tanks, Trucks, Motors, Concrete, Aluminum, Ferrous & Non-Ferrous Metals, Tile, Stone, Hard Surfaces, or Anything Not Harmed by Water.



# Neutra Force®

## Sprayon® Neutra Force® VS. Simple Green® Comparison Analysis

This comparison analysis is based on the main characteristics of the product, and provides basic comparison between the two products. These comparisons represent the opinion and analysis of our lab.

	NEUTRA-FORCE®	Simple Green®
pH	7	9.8
Butyl Cellosolve	No	Yes
Rinse With Water	No	Yes
Caustic	No	Yes
Odor Counteractant	Yes	No
Attack Aluminum	No	Yes
Attack Floor Polish Film	No	Yes
Affected by Calcium and or Magnesium Salts	No	Yes
Recommended for Auto Scrubber	Yes	No
<b>Documented Testing For:</b>		
Acute Inhalation Toxicity	Yes	?
Acute Dermal Toxicity	Yes	?
Acute Oral Toxicity	Yes	?
<b>Specifications:</b>		
Boeing Spec BAC 5763 Type I	Yes	No
ASTM-F945 (Stress-Corrosion Of Titanium Alloys by Aircraft Cleaning Materials)	Yes	No

**PLEASE NOTE:** Comparisons can change due to manufacturers' formula changes. Simple Green is a registered trade mark of Sunshine Makers, Inc.



**NEW PRODUCT**  
Reaches up to 2 stories high  
Covers 2,000 sq feet



A1201T1232

A1201H1230

A012010005

A012010401

Also available in: 55 gal. (A012010055) and 275 gal. tote (A012010275).

# Thousands of Uses... One Product!

## Sprayon® Neutra Force® VS. Simple Green® Dilution Ratio Comparison

APPLICATION	DILUTION RATIO		See Note*	APPLICATION	DILUTION RATIO		See Note*
	Simple Green®	NEUTRA-FORCE®			Simple Green®	NEUTRA-FORCE®	
Adhesive Removal	Full Strength - 10:1	Full Strength - 10:1		Jewelry - Gold Precious/Hard Stones	Full Strength	10:1	7
Aluminum Parts	Full Strength - 10:1	30:1 - 60:1		Kitchens - Counters/Utensils	10:01	30:1 - 60:1	
Appliances	10:1 - 30:1	30:1 - 60:1	1	Ovens/Ranges/Grills	Full Strength - 10:1	10:1 - 60:1	3
Autos - Exterior	30:1	60:1 - 130:1		Laundry - Full Load	1/4 Cup	1/4 Cup	8
Interior	30:1	80:1 - 130:1	2	Heavy Soil/Stain	Full Strength	1/2 cup	
Bait Tanks/Fish Wells	50:1	60:1		Pre Wash	30:1	10:1	
Barbeque Grills	Full Strength	Full Strength	3	Life Support Systems	150:1	250:1	
Baseboards	30:1	60:1		Lights	150:1	250:1	
Bath Tubs	Full Strength - 10:1	40:1 - 60:1		Linoleum, Tile, No-Wax Floors	50:1	60:1	
Bikes, Toys, Sports Equipment	30:1	120:1		Lubricants	Full Strength	10:1 - 30:1	
Boats - Exterior	30:1	60:1		Machinery	Full Strength	10:1 - 30:1	
Bowling Alleys	10:1	30:1		Manufacturing Equipment	Full Strength - 10:1	10:1 - 30:1	
Floors/Ball Returns Bulkheads	30:1	60:1		Miniblinds	30:1	60:1	
Buses/Vans	30:1	60:1		Mirrors	150:1	250:1	
Canvas	10:1	30:1		Motorcycles	30:1	60:1	
Car Interiors	30:1	120:1		Oil Deposits	Full Strength - 10:1	10:1 - 30:1	3
Car Wash	30:1	120:1		Ovens - Conventional	Full Strength - 10:1	10:1	3
Cars/Vans/Motorcycles/Trucks	30:1	120:1		Microwave	30:1	60:1 - 120:1	
Carbon Deposits	Full Strength - 10:1	Full Strength - 10:1		Stainless Steel	10:1 - 30:1	60:1 - 120:1	
Carpets (Auto)	50:1	100:1	3,5	Paint Preparation	10:1	30:1 - 60:1	
Carpet Fabric Spot Cleaning	Full Strength	60:1	3	Parts Washer	Full Strength - 10:1	10:1 - 60:1	
Carpet Cleaning	50:1	120:1		Passageways	30:1	60:1	
General	50:1	120:1		Patio Furniture	30:1	60:1	
Spot	Full Strength	10:1	3	Porcelain	10:1	30:1	
Carpet Cleaning Machines	50:1	60:1		Pre Soak	30:1	60:1	
Chrome	30:1	60:1		Pressure Sprayers	30:1 - 50:1	120:1 - 250:1	
Coffee Carafes	Full Strength	20:1		Railings	30:1	60:1	
Coffee Maker - Automatic	Full Strength	20:1	1	Recreational Vehicles - Exteriors	30:1	60:1	
Computer Cases/Keyboards	30:1	120:1	2	Showers	Full Strength	10:1	3
Computer Screens	150:1	230:1		Sinks	Full Strength - 10:1	10:1	
Concrete	Full Strength	10:1	3	Small Metal Parts (Ultrasonic)	10:1	10:1	
Cordage	10:1	40:1		Smoke	10:1	10:1	
Counter Tops	10:1 - 30:1	60:01:00		Soot	10:1	10:1	
Curtains	See Laundry			Sports Equipment	30:1	60:1	
Dashboard Detailing	30:1	60:1	2,5	Spot Cleaning/Fabric Cleaning	Full Strength	10:1	3,5
Deck Machinery	10:1 - 30:1	30:1 - 60:1		Stainless Steel	30:1 - 50:1	40:1 - 60:1	
Decks	10:1 - 30:1	60:1 - 100:1		Steel Mold Dressing	Full Strength	10:1	
Diesel Fuel	10:1	10:1 - 20:1		Tile and Grout	Full Strength - 10:1	10:1 - 60:1	3
Dip Tanks	Full Strength - 10:1	10:1 - 60:1		Tires	Full Strength	10:1 - 60:1	3
Dishwashers	Full Strength	60:1	4	Toilets	10:1	30:1	
Display Cases	150:1	250:1		Tool Bit Cleaner	Full Strength	10:1	
Docks	50:1	60:1		Tool Boxes	10:1	10:1	
Drain	Full Strength	10:1		Tools	Full Strength - 10:1		
Driveways (Concrete)	Full Strength	10:1	3	Toys	30:1	60:1	
Engines, Tires, Wheels	Full Strength - 10:1	10:1 - 60:1		Transmission Cases	Full Strength - 10:1	10:1 - 30:1	
Equipment Cleaning	10:1	10:1 - 60:1		Trucks	30:1	60:1	
Fabric-Spot Cleaning	Full Strength	60:1	3-5	Tub/Shower/Tile	Full Strength - 10:1	10:1 - 30:1	3
Fabric/Vinyl Upholstery	30:1	120:1	5	Tumblers	Full Strength - 10:1	10:1 - 30:1	
Fiberglass	10:1	60:1		Upholstery/Carpets	50:1	120:1	
Fireplaces	10:1	10:1		Vans	30:1	60:1	
Floor Scrubbers	50:1	60:1		Vents, Fireplaces	Full Strength - 10:1	10:1	
Floors - Concrete	Full Strength	10:1	3	Ventures	150:1	250:1	
No Wax	30:1			Vinyl, Plastic Liners	30:1	60:1	
Stripping	Full Strength - 10:1	10:1		Walls - Exteriors	30:1	30:1 - 60:1	
Tile	50:1	60:1		Waste/Garbage Containers	Full Strength - 10:1	10:1 - 40:1	
Vinyl/Wood/Marble and Terrazzo	50:1	60:1		Wax Stripping	Full Strength	Full Strength	9
Furniture - Plastic/Laminated	30:1	60:1	6	Wheels	Full Strength	10:1	3
Galley - Counters/Utensils	10:1-30:1	60:1		Whitewalls	Full Strength	10:1	3
Ovens/Ranges/Grills	Full Strength - 10:1	10:1	3	Window Sills/Baseboards	30:1	60:1	
Gangways	10:1-30:1	30:1 - 60:1		Windows/Windshields/Reservoirs	150:1	250:1	
Garage Floors (Concrete)	Full Strength	10:1 - 30:1	3	Wood	50:1	60:1	6
Garbage Containers	Full Strength - 10:1	20:1					
Garbage Disposals, Drains	Full Strength	10:1					
General Cleaning	30:1	60:1					
Glass Mirrors	150:1	250:1					
Grease Filters	Full Strength - 10:1	10:1 - 60:1					
Grills	Full Strength - 10:1	10:1 - 30:1					
Grout	Full Strength	10:1	3				
Hulls (Including Fiberglass)	10:1-30:1	20:1-40:1					
Inflatables	10:1 - 30:1	30:1 - 60:1					

### DILUTION RATIO CHART NOTE DEFINITIONS

- \*Note 1: Unplug from outlet. Do not get liquid or water in cord connections, cord or plug.
- \*Note 2: Do not spray directly on surfaces. Apply to rag and wipe.
- \*Note 3: Wet surface first. Apply Neutra-Force. Scrub with stiff brush.
- \*Note 4: 2-3 trigger sprays of Neutra-Force over dishes on each rack. Use 1/2 to 2/3 regular amount of detergent.
- \*Note 5: Always spot test on hidden area first.
- \*Note 6: Do not use on wood furniture without protective finish.

- \*Note 7: Pearls/porous stones should not be exposed to any cleaning solution.
- \*Note 8: Add 1/4 cup of Neutra-Force to water-filled tube. Use 1/2 or less of suggested amount of regular detergent.
- \*Note 9: Wet floor with hot water. Apply Neutra-Force. Let stand for several minutes, rinse with hot water.
- PLEASE:** Contact your local Environmental Agency to learn and obey all state and federal regulations regarding the disposal of effluent and rinse water into sewer systems, gutters, storm drains and waterways.

## DIRECTIONS

For degreasing, this product may be used with pump sprayers, steam cleaners, high-pressure washers or in dip tanks. Apply with brush, cloth or sprayer to equipment or part to be cleaned. Allow degreaser to remain on equipment until grease and dirt are loosened. Wipe clean or flush off dissolved grease and soil with water or steam. Heavy deposits may require two applications of degreaser. Rinse after use.

**For Floors:** Apply by mop. Scrub with machine. Pick up with mop or vacuum, rinse. Also recommended for use in an automatic scrubber.

**For Equipment and Machinery:** Spray or wipe onto surface. Rinse lightly. Wipe dry.

**For Small Parts:** Dip, soak, or slush with solution. Rinse lightly. Wipe dry.

## RECOMMENDED DILUTIONS MUST BE DILUTED PRIOR TO USE.

To Clean:	Use This Dilution:	
<b>Resilient Flooring:</b>		
Damp Mop:	2 oz./gal.	1:64
Automatic Scrubber:	1 oz./gal.	1:128
<b>Cement &amp; Concrete:</b>		
Average Soil:	8 oz./gal.	1:16
Oil Soaked:	16 oz./gal.	1:8
Stone Surfaces:	4 oz./gal.	1:32
Motors & Chassis:	8 oz./gal.	1:16
Leather or Plastic:	1 oz./gal.	1:128
Painted Walls & Woodwork :	1/2 oz./gal.	1:256
Glass:	1/2 oz./gal.	1:256
Dumpsters:	6 oz./gal.	1:21
Drain Maintainer:	102 oz./gal.	4:1

## PROPERTIES

**SPECS:** Meets Boeing Specification, BAC 5763, TYPE 1

**APPEARANCE:** Clear, green

**SCENT:** Floral-mulberry

**pH:** 7.0 ± 1.0

**FLAMMABILITY:** Nonflammable

**BIODEGRADABLE:** 100%

**SPECIFIC GRAVITY:** 1.00

**COLD STABILITY:** Passes 3 cycles

**HEAT STABILITY:** 6 weeks at 50°C

**CLOUD POINT:** Greater than 120°F

**VISCOSITY:** Water thin

**SHELF LIFE:** 3 years from date of manufacture.

**FORMULATED FOR INDUSTRIAL USE.**

## RESOURCES

**MSDS/EDS/PRODUCT DATA SHEETS:**

[www.paintdocs.com](http://www.paintdocs.com)

**TECHNICAL INFORMATION:**

1-800-251-2486

**WEB SITE:** [www.sprayon.com](http://www.sprayon.com)



Sprayon Sku	UPC	Neutra Force® Description	Quantity	Length	Width	Height
A12011232	0-75577-02606-7	32 oz. Trigger Bottle	12	12.75	10.37	14.25
A1201H1230	0-75577-45137-1	30 oz. Fleet & Heavy Equipment Wash	12	12.00	10.00	13.75
A012010401	0-75577-02607-4	1 Gal.	4	12.25	12.37	12.50
A012010005	0-75577-02608-1	5 Gal.	1	11.88	11.88	14.50
A012010055	0-75577-02609-8	55 Gal.	1	23.80	23.80	36.50
A012010275	0-75577-02737-8	275 Gal. Disposable Tote	1	45.25	45.25	36.00

Distributed By:



**Krylon Products Group**

101 Prospect Ave. NW  
Cleveland, OH 44115  
[www.KPG-Industrial.com](http://www.KPG-Industrial.com)  
Tel: 1-800-777-2966

310-B003-000